
Chapter 6 The Solar System



Units of Chapter 6

- 6.1 An Inventory of the Solar System
- **6.2** Measuring the Planets
- **6.3** The Overall Layout of the Solar System

Computing Planetary Properties

- 6.4 Terrestrial and Jovian Planets
- **6.5** Interplanetary Matter
- [6.6 Spacecraft Exploration of the Solar System

XXGravitational "Slingshots"]

6.7 How did the Solar System Form? (leads to ch.15)

Angular Momentum

6.1 An Inventory of the Solar System

Early astronomers knew:


Moon, stars, Mercury, Venus, Mars, Jupiter, Saturn, comets, and meteors


Now known: Solar system has 165 moons, one star, eight planets (added Uranus and Neptune), eight asteroids and more than 100 Kuiper belt objects more than 300 km in diameter, smaller asteroids, comets, and meteoroids



6.2 Measuring the Planets

- Orbital period can be observed
- Distance from Sun using Kepler's laws (which one?)
- Radius (or diameter) known from angular size x distance
- Masses from Newton's laws. Distance and orbital speed of a planet's moon gives $M = r v^2/2G (GMm/r^2 = (1/2)mv^2)$.
- Rotation period from observations
- Density can be calculated knowing radius and mass; density = mass/volume, volume ~ radius³





Inspect, don't memorize, this table in textbook

Object	Orbital Semimajor Axis (AU)	Orbital Period (Earth Years)	Mass (Earth Masses)	Radius (Earth Radii)	Number of Known Satellites	Rotation Period * (days)	Average (kg/m³)	Density (g/cm ³
Mercury	0.39	0.24	0.055	0.38	0	59	5400	5.4
Venus	0.72	0.62	0.82	0.95	0	-243	5200	5.2
Earth	1.0	1.0	1.0	1.0	1	1.0	5500	5.5
Moon	-	-	0.012	0.27	-	27.3	3300	3.3
Mars	1.52	1.9	0.11	0.53	2	1.0	3900	3.9
Ceres (asteroid)	2.8	4.7	0.00015	0.073	0	0.38	2700	2.7
Jupiter	5.2	11.9	318	11.2	63	0.41	1300	1.3
Saturn	9.5	29.4	95	9.5	56	0.44	700	0.7
Uranus	19.2	84	15	4.0	27	-0.72	1300	1.3
Neptune	30.1	164	17	3.9	13	0.67	1600	1.6
Pluto (Kuiper belt object)	39.5	248	0.002	0.2	3	-6.4	2100	2.1
Hale-Bopp (comet)	180	2400	1.0×10^{-9}	0.004	-	0.47	100	0.1
Sun	-	-	332,000	109	-	25.8	1400	1.4


6.3 The Overall Layout of the Solar System


All planetary orbits are elliptical (of course), but very nearly circular.

All planets orbit Sun in same sense, and all but one rotate in that same direction.

All orbits but Mercury's are close to same plane.


These both suggest that the solar system was originally a rotating disk.





6.4 Terrestrial and Jovian Planets

In this picture of the eight planets and the Sun, many of the differences between the four terrestrial and four jovian planets are clear



6.4 Terrestrial and Jovian Planets

Terrestrial planets:

Mercury, Venus, Earth, Mars

Jovian planets:

Jupiter, Saturn, Uranus, Neptune

The table to right shows differences between the terrestrial and jovian planets. You should partially memorize this one!

TABLE 6.2 Comparison of the Terrestrial and Jovian Planets

Jovian Planets		
far from the Sun		
widely spaced orbits		
large masses		
large radii		
predominantly gaseous		
no solid surface		
low density		
faster rotation		
strong magnetic fields		
many moons		
many rings		

6.4 Terrestrial and Jovian Planets

Differences among the terrestrial planets:

- All have atmospheres, but they are very different; surface conditions vary as well. Only Venus and Earth have *thick* atmospheres.
- Temperatures decrease with increasing distance from Sun, as expected, but Venus and Earth have *very* different temperatures!
- Only Earth has liquid water on its surface. Water is a unique liquid and is believed necessary for life (good reasons for thinking this)
- Only Earth has oxygen in its atmosphere: a "biosignature" produced by early cyanobacteria, and a possible way to detect extraterrestrial life.
- Earth and Mars spin at about the same rate; Mercury is much slower, Venus is slow and retrograde (backwards).
- Only Earth and Mars have moons; only Earth has a *huge* moon that is a significant fraction of it's planet's size.
- Only Earth and Mercury have magnetic fields. This is a sign of a rotating core of conducting material (mostly iron).

6.5 Interplanetary Matter

Asteroids and meteoroids have rocky composition; asteroids are bigger

Asteroid Eros is 34 km long



Comets are icy, with some rocky parts

Comet Hale-Bopp:




Pluto, once classified as one of the major planets, is the closest large *Kuiper Belt object* to the Sun


6.7 How Did the Solar System Form?

Cloud of gas and dust contracts due to gravity; conservation of angular momentum means it spins faster and faster as it contracts.

Spin results in a disk.


Then, somehow, the gas and dust in this disk condensed or agglomerated into planets and the other objects in the solar system.





More Precisely 6-2: Angular Momentum


Conservation of angular momentum says that product of radius and rotation rate must be constant



6.7 How Did the Solar System Form?

The observation of disks surrounding newly formed stars supports this theory.

That disks are found around nearly *all* young stars suggests that planetary systems may be common.



Summary of Chapter 6

- Solar system consists of Sun and everything orbiting it
- Asteroids are rocky, and most orbit between orbits of Mars and Jupiter
- Comets are icy and are believed to have formed early in the solar system's life
- Major planets orbit Sun in same sense, and all but Venus rotate in that sense as well
- Planetary orbits lie almost in the same plane

Summary of Chapter 6 (cont.)

- Four inner planets—terrestrial planets—are rocky, small, and dense
- Four outer planets—Jovian planets—are gaseous and large
- Nebular theory of solar system formation: cloud of gas and dust gradually collapsed under its own gravity, spinning faster as it shrank
- Condensation theory says dust grains acted as condensation nuclei, beginning formation of larger objects