Friday, September 20, 2013

Exam back, grades on Blackboard, key posted on class web site.

Reading Chapter 6 (continued) Sections 6.4, 6.5, 6.6, 6.7 (background: Sections 1.2, 2.1, 2.4, 2.5, 3.3, 3.4, 3.5, 3.10, 4.1, 4.2, 4.3, 4.4, 5.2, 5.4)

Astronomy in the news?

Curiosity Rover finds no methane, possible sign of life, in Martian atmosphere. On Earth, methane is exhaled by microbes.

India to launch Mars orbiter soon.

One minute exam

Why do you have to heat a nuclear fuel to make it burn?

Charge repulsion keeps nuclei apart

The strong nuclear force keeps nuclei apart

To break chemical bonds



To make neutrons

Make succession of heavier elements



Special role of Iron - 26p, 30n, most tightly bound arrangement of protons and neutrons.

Endothermic - must put energy in to break iron apart into lighter elements or to forge heavier elements. Irons absorbs energy, lowers pressure, core contracts, iron absorbs more energy, more contraction...

=> The iron core quickly collapses! Catastrophic death of the star.

Goal

To understand what happens after a massive star forms an iron core

Iron core of massive star absorbs energy.

When iron core forms - star is doomed to collapse.

Iron core collapses in about 1 second to form a *neutron star* (or maybe a black hole), composed essentially of all neutrons. Neutrons are formed when protons and electrons combine.

$p + e \rightarrow n + \mathcal{V}$ *neutrino*,

Action of Weak Nuclear Force (Chapter 1.2)

One neutrino is generated for every proton that is converted, a star's worth of protons

⇒<u>lots of neutrinos</u>

During iron core collapse, essentially all protons and electrons are converted to neutrons with the emission of a *neutrino*.

Neutrinos have a tiny mass, no electrical charge, interact little with normal matter, only through weak nuclear force (Chapter 1.2).

Normal stellar matter is essentially *invisible* to neutrinos.

 \Rightarrow 99% of energy of collapse is carried off by neutrinos (Ch 1.2, 2.1, 2.2)

Collapse leads to a neutron star.

Neutron Star - mass of Sun, but size of small city, ~ 10 kilometers in radius, density of atomic nucleus.

Huge gravity - surface is now *much closer* to the center!

One minute exam

What is the importance of iron in massive stars?

It produces a great deal of energy

It absorbs energy

It produces neutrinos



It combines with oxygen and produces rust

Goal

To understand how the iron core process works in Type II, Type Ib, and Type Ic supernovae.

To understand how they are alike and why and how are they different.

Single star: Type II

Same star in binary: Type Ib/c

Same evolution inside star, thermal pressure, regulated burning, shells of heavier elements, *whether hydrogen envelope is there or not*.



Single star: Type II Same star in binary: Type Ib/c



Neutron star in binary system, X-ray source

Both types leave behind a neutron star

Rotating, magnetic radio pulsar. One minute exam

What is the importance of neutrinos in massive stars?

They cause the collapse of the iron core

They carry off most of the energy of collapse

They convert electrons into protons



They inject energy into the explosion

Goal

To understand how the collapse of an iron core can trigger a supernova explosion When a neutron star forms, get huge energy from dropping from size of Earth or White Dwarf to size of Austin.

100 times more energy than is needed to explode off the outer layers of the massive star.

That does not guarantee an explosion!

The outer parts of the star, beyond the neutron star, are *transparent to the neutrinos*, the neutrinos flood out freely and carry off most of the energy, about 99%.

Is 1% of the neutrino energy left behind to cause the explosion?

Tough problem! 1.5% is plenty, 0.5% is too little.





Maximum mass of a neutron star is 1.5 to 2 solar masses