# Alternative Ideas

# Something else...

- Neither the chicken nor the egg came first
- Transitional forms that were later discarded

# Or was it the "egkin"?

Some experiments with peptide nucleic acid (PNA).

PNA: Peptide backbone with bases

Can act as template for polymerization of RNA From activated nucleotides (Böhler, et al., *Nature*, **376**, 578 & comments by Piccirilli, pg. 548 17 Aug. 1995

PNA could be simpler to form under prebiotic conditions Main point is that a simpler thing (not necessarily PNA) could have preceded RNA

# Threose Nucleic Acid (TNA)

- Threose is one of two sugars with a foursided ring
- Fewer issues with incorrect linkages, selection of correct handedness
- Replace ribose sugar in RNA with threose
- Can base pair with RNA
- Could have preceded RNA

#### Membranes

- Membranes provide enclosure
  - Also fundamental for metabolism
- Membranes never arise from scratch
  - Always passed down and added to
  - All derived from ancestral cell
- T. Cavalier-Smith proposes membranes
  - Plus nucleic acid formed "ob-cell"
  - Merger of 2 ob-cells formed first cell

### **Focus on Energy**

G. Wächtershäuser Inorganic - organic connection FeS<sub>2</sub> (Iron pyrite)

Attracts negatively charged molecules Surface catalysis provides energy via formation from FeS + H<sub>2</sub>S

Scene is hot sulfur vents on sea floor Some successes in simulations Amino acids formed peptide bonds

### **Thioester World**

1. Need precursor to RNA world

C. de Duve

Need energy conversion Protometabolism

In Vital Dust

Background:



Hydroxyl + Carboxyl

Thiol + Carboxyl

Thiols involved in metabolism, particularly in ancient pathways

Also can catalyze ester formation by group transfer Reactions e.g. peptide bonds

# **Catalytic Multimers**

"Multimer" short peptides and esters
(NH<sub>2</sub>) (OH)
of amino acids and hydroxy acids

C. de Duve

Will form from thioesters. Assume some catalytic ability, lead to protometabolism

### **Energy Sources**

Basic need is hydrogen atoms (or electrons in excited states)

In pure water 
$$\frac{H^+ + OH^-}{H_2O}$$
 more if acidic

$$e^- + H^+ \rightarrow H^*$$
 excited H

Now chlorophyll + sunlight

### On early Earth?

1. UV light + Fe<sup>+2</sup> 
$$\longrightarrow$$
 Fe<sup>+3</sup> + e<sup>-</sup>


$$e^{-} + H^{+} \longrightarrow H^{*} \longrightarrow$$
 H for reactions

2. 
$$H_2S$$
 in  $H_2O \rightarrow SH^-$   
 $2SH^- \rightarrow S_2^{-2} + H_2$   
 $Fe^{+2} + S_2^{-2} + FeS_2$  iron pyrite

# Transition to Phosphate

Remember that energy currency in life now is ATP Adenosine Triphosphate used to make bonds, remove H<sub>2</sub>O

Earlier, inorganic phosphate p-p diphosphate or polyphosphate still involved in ATP reactions



age—will be followed by GUC. This AGUC sequence is complementary to the terminal sequence written in antiparallel fashion, and will cause the chain to double up as follows:

Assume now that this folded chain is subject to elongation, by the addition of new nucleotides, from right to left, to the U end. The presence of G next to the A paired with the terminal U is likely to favor the addition of a complementary C over that of the other three possible nucleotides. Repeat the process and you get U added opposite A, G opposite C, G again opposite the next C, and so on. What you get is the formation of a stretch complementary over all its length to the other end of the molecule:

## Summary of Proto-Life Development

<u>Stage</u>	<u>Proteins</u>	Halfway # 1 Peptide Nucleic Acids	Halfway # 2 RNA Ribozyme	Nucleic Acids
Monomers	Amino Acids	Bases Amino Acids	Ribose Sugars Bases Phosphates Amino Acids	Ribose Sugars Bases Phosphate
Polymerization	Proteinoids	Short strands of PNA's	Short strands of RNA + amino acids	Short strands of RNA
Replication	?	Affinity for complementary bases + ease of peptide bonding	Affinity for complementary bases	Affinity for complementary bases
Pre-life	Proteinoids + RNA?	Separation of proteins and nucleic acids	Separation of nucleic acids and protein parts	RNA adapts proteinoids as needed
Life	Proteins	Disappears	Disappears	DNA and RNA

#### Other ideas

A different initial genetic substance + genetic takeover

e.g., clay life

Panspermia Various versions

Creationism

### Clay Life

A. G. Cairns-Smith

Silicate Life? Early Genetic Material

O = Si = O but O can make another bond instead

$$\begin{array}{ccc}
 & O \\
 & O \\
 & O
\end{array}$$
silica varie

silicates can provide a variety of minerals

Layers - clay

Also occasional impurity (Al, Mg, ...)

Can grow by adding dissolved material Tends to copy pattern of impurities in adjacent layers. Could this be a kind of reproduction?

Defects - different impurity, ... (mutations?)

Sheets can separate - move - and then "reproduce"

<u>Advantages</u>

Clay clearly present

Simpler genetic structure

Crystal growth occurs naturally

Problem

How to get to

life as we know it

### ? Clay Life → Life

Clay life begins to synthesize, use "organic" [carbon] molecules
Clays do have some catalytic activity

Genetic takeover organics — protein/RNA mechanisms

Clay discarded

### **Tests**

- 1. Surviving clay life unlikely
- 2. New clay life maybe in some places
- 3. Demonstrate in lab

Not much further development of this idea.

### Panspermia

- Life arose elsewhere and was delivered here
  - Original idea was bacterial spores
  - Hoyle and Wickramasinghe
    - · Life originates on dust grains, comets, ...
  - Or on another planet (meteorites from Mars)
- Directed panspermia
  - Crick and Orgel (tongue in cheek)
  - Earth seeded by intelligent ET

#### Creationism

- Traditional biblical literalism
- Intelligent design
  - Seeks evidence of design in complexity
  - Current version of creationist movement
  - Hoyle and Wickramasinghe later ideas
    - Life designed by silicon chip
    - Where did the chip come from?
- None of these are scientific theories
  - The key is whether they can be tested

#### From "Scientific Creationism" by Henry Morris

#### **Uniformitarianism**

Matter existed

in the beginning

Sun and stars

before the earth

Land before the oceans

Sun, earth's first light

Contiguous atmosphere

and hydrosphere

Marine organisms,

first forms of life

Fishes before fruit trees

Insects before birds

Sun before land plants

Reptiles before birds

Woman before man

(by genetics)

Rain before man

"Creative" processes still continuing

Struggle and death necessary

antecedents of man

#### Bible

Matter created by God

in the beginning

Earth before the sun

and stars

Oceans before the land

Light before the sun

Atmosphere between

two hydrospheres

Land plants, first life

forms created

Fruit trees before fishes

Birds before insects

Land vegetation before the sun

Birds before reptiles

Man before woman

(by creation)

Man before rain

Creation completed

Man, the cause of struggle and death

### Myth (Mythos)

Revealed truth unquestioned

Two strands in Creation Myths:

Creator Spirit in

"Western" Matter


"Eastern"

Creationism spontaneous generation

self-organization of matter

### Science (Logos)

Provisional truth
Skepticism essential
(falsifiability)
Method important
Interplay:



**Chemical Evolution** 




#### **Artificial Life?**

- Polio virus constructed from "scratch" in 2002
- Have they created life?
- Viruses are parasites, but "protolife"?
- Entire bacterial genome (not the bacterium) constructed from scratch in 2008
  - 582,970 base pairs
- Could we create a bacterium from scratch?
- Far too complex for current abilities

#### **Exotic Life Forms?**

#### Antidote to Earth Chauvinism

- 1. Different organic molecules (e.g., PNA) possibility of life based on other polymers
- 2. Not based on CarbonSilicon (Si) instead of Carbon?(also 4 bonds)& more (135 ×) abundant on Earth



Negatives for replacing carbon with silicon:

- a. C C bond 2 × stronger than Si Si
- b. Si O stronger than Si Si forms silicates, not ... Si Si Si ...
- c. C forms multiple bonds (e.g. C = N)Si rarely does
- d. C + O forms CO or CO<sub>2</sub> (gas further reacts) Si + O  $\longrightarrow$  SiO<sub>2</sub> - silicate rocks
- ⇒ Si unlikely to replace C in "organic" molecules but could forms of SiO₂ produce clay life?

### 3. Other Solvents

Earth: Liquid water 273-373 K

Alternatives:		$T_{freeze}$	$T_{boil}$
Ammonia	$NH_3$	195	240
Methyl Alcohol	CH <sub>3</sub> OH	179	338
Methane	CH <sub>4</sub>	91	109
Ethane	$C_2H_6$	90	184

Water is better solvent
Also better for temperature regulation
But others could play a role in colder zones
extend CHZ?

#### 4. Non-chemical life?

Disembodied intelligence Black cloud life?

Other forces
Strong nuclear force?  $\tau \sim 10^{-15} \text{ s}$ 

**Gravity?** 

### Estimates for f

- Possible range is very large
  - Perhaps 10<sup>-6</sup> (one in a million) to 1 (all)
- Arguments for large value
  - Life part of overall evolution in complexity
  - Arises naturally from interplay of forces

## Estimates for f

- Arguments for small value
  - May need more than liquid water
    - Large tides, so large moon
    - Dry land (for polymerization)
  - Life may be a fluke
    - A rare statistical event

## Can we estimate f<sub>e</sub> from early origin of life?

Very ancient microfossils (now disputed)

⇒ Life arose as early as 3.8 × 10<sup>9</sup> yr ago [soon after end of heavy bombardment]

Lineweaver & Davis argued:

Early origin  $\Rightarrow$  f<sub>e</sub> > 0.33

For suitable planets older than  $1 \times 10^9$  yrs.

Statistics from <u>one</u> example!

Others have disputed this conclusion

# What is your choice and why?

- The most uncertain factor so far (f<sub>d</sub>)
- Think about various ideas for origin of life
- Put together a plausible story for the origin of life
  - Can use parts of various ideas, but need to be consistent.