

Evaluating your Drake Equation

Basic Ideas

- Number of Civilizations in our Galaxy
 - Product of rate of emergence and L
 - Running product gives rate for each step
 - Until L , we have rates
 - Through f_c , we get “communicable” civilizations
 - Multiplying by L gives the number (N)
 - Assumes “steady state” between birth and death of civilizations


Drake Equation:

$$N = R_* f_p n_e f_\ell f_i f_c L$$

- N = number of communicable civilizations in our galaxy
- R_* = Rate at which stars form
- f_p = Fraction of stars which have planetary systems
- n_e = Number of planets, per planetary system, which are suitable for life
- f_ℓ = Fraction of suitable planets where life arises
- f_i = Fraction of life bearing planets where intelligence develops
- f_c = Fraction of planets with intelligent life which develop a technological phase during which there is a capacity for and interest in interstellar communication
- L = Average lifetime of communicable civilizations
- r = Average distance to nearest civilization

Distance to Nearest Neighbor

1. Assume civilizations spread uniformly but randomly through galaxy




r = radius of imaginary sphere centered on us that touches nearest civilization

$$\text{search vol} \propto r^3$$

$$\Rightarrow r = \frac{10^4 \text{ ly}}{N^{1/3}}$$

Distance to Nearest Neighbor



If $N < 8000$, r from previous formula is 500 ly
About equal to thickness of Galaxy

Use cylinder for search vol $\propto r^2 h$

$$\text{so } r = \frac{5 \times 10^4 \text{ ly}}{N^{1/2}}$$

Happy Feller



| | R | f_p | n_e | f_ℓ | f_i | f_c | L | N | r |
|-----------|----|-------|-------|----------|-------|-------|-----------------|--------------------|--------|
| Estimate | 20 | 1 | 1 | 1 | 1 | 1 | 5×10^9 | 1×10^{11} | 2.2 ly |
| Birthrate | 20 | 20 | 20 | 20 | 20 | 20 | | | |



62.5% of stars

If $N > 8000$,

$$r = \frac{10^4 \text{ light years}}{N^{1/3}}$$

If $N < 8000$,

$$r = \frac{5 \times 10^4 \text{ light years}}{N^{1/2}}$$

Angela Angst



| | R | f_p | n_e | f_ℓ | f_i | f_c | L | N | r |
|-----------|---|-------|-------|--------------------|--------------------|--------------------|-----|--------------------|-----|
| Estimate | 5 | 0.1 | 0.1 | 0.01 | 0.01 | 0.01 | 100 | 5×10^{-6} | --- |
| Birthrate | 5 | 0.5 | 0.05 | 5×10^{-4} | 5×10^{-6} | 5×10^{-8} | | | |

Never two civilizations
at same time

If $N > 8000$,

$$r = \frac{10^4 \text{ light years}}{N^{1/3}}$$

If $N < 8000$,

$$r = \frac{5 \times 10^4 \text{ light years}}{N^{1/2}}$$

Mr. Average Guy



| | R | f_p | n_e | f_l | f_i | f_c | L | N | r |
|-----------|----|-------|-------|-------|-------|-------|-----------------|-------------------|-----|
| Estimate | 10 | 0.5 | 0.89 | 0.5 | 0.7 | 0.6 | 1×10^6 | 9.4×10^5 | 100 |
| Birthrate | 10 | 5 | 4.45 | 2.23 | 1.56 | 0.94 | | | |

~ 1 out of
 1.6×10^5 stars
 $\rightarrow 10 \times 10^5 = 10^6$

If $N > 8000$,

$$r = \frac{10^4 \text{ light years}}{N^{1/3}}$$

If $N < 8000$,

$$r = \frac{5 \times 10^4 \text{ light years}}{N^{1/2}}$$

Evaluating YOUR Drake Equation

- Almost no answers are wrong
 - It must be possible for us to exist
 - N must be no greater than the number of stars in the Galaxy
 - May imply limit on L
- Ways to evaluate:
 - Plug into equations
 - Use calculator on web
 - <http://www.as.utexas.edu/astronomy/education/drake/drake.html>
 - Ask us for help

Your Drake Equation


| | R | f_p | n_e | f_ℓ | f_i | f_c | L | N | r |
|-----------|---|-------|-------|----------|-------|-------|---|---|---|
| Estimate | | | | | | | | | |
| Birthrate | | | | | | | | | |

If $N > 8000$,

$$r = \frac{10^4 \text{ light years}}{N^{1/3}}$$

If $N < 8000$,

$$r = \frac{5 \times 10^4 \text{ light years}}{N^{1/2}}$$



Note log scales

2 3 4 5 **N**

Points to bear in mind

- r is based on assuming spread uniformly
 - Could be less if closer to center of MW
- r is based on averages
 - Could be closer but unlikely
- r is less uncertain than N
- Since signals travel at c , time = distance in ly
- If $L < 2r$, no two way messages