

# Average Lifetime of Technological Civilization



# Average Lifetime of Technological Civilization

L = ?

- End of Communication Efforts  
(Civilization Survives)  
(Decades?)
- Civilization **Evolves** away from interest or capability (Post-technological Civilization)  
(Centuries - Millenia)

- **Civilization Collapses**  
(Reversion to Pre-technological Culture)  
Exhaustion of resources  
Population explosion  
( ~ 100 yrs - 1000 yrs)
- **Sudden, Catastrophic End of Civilization or Extinction of our Species**  
Nuclear War leads to Nuclear Winter  
(10' s - 100' s of years)  
Natural Catastrophes ( $> 10^5$  yr for most)

# Resource Depletion

Metals, Drinkable Water, Arable Land, ...

Energy is most fundamental

Energy is conserved

“Depletion” = conversion to less usable forms  
(entropy increases)

## World Energy Usage

- 474 exajoules/year ( $474 \times 10^{18}$  Joules/year)
  - 15 Terawatts ( $15 \times 10^{12}$  Watts)
- Total Available (controversial and uncertain)
  - Fossil fuels  $0.4 \times 10^{24}$  Joules (800 years)
  - Nuclear fission  $2.5 \times 10^{24}$  Joules (5000 yr)
- Potential Renewable (rate of supply)
  - Solar 3.3 x current usage
  - Wind 1.4 x current usage

# History of Energy Use in USA

## Consumption by Source

Figure 5. Energy Consumption by Source, 1635-2003






Figure 6. Energy Consumption History and Outlook, 1949-2025



In the long view of American history, wood served as the preeminent form of energy for about half of the Nation's history. Around 1885, coal surpassed wood's usage. Despite its tremendous and rapid expansion, coal was, in turn, overtaken by petroleum in the middle of the 20th century. Natural gas, too, experienced rapid development into the second half of the 20th century, and coal began to expand again. Late in the 20th century still another form of energy, nuclear electric power, was developed and made significant contributions.

While the Nation's energy history is one of large-scale change as new forms of energy were developed, the outlook for the next couple of decades (assuming current laws, regulations, and policies) is for continued growth and reliance on the three major fossil fuels—petroleum, natural gas, and coal—modest expansion in renewable resources, and relatively flat generation from nuclear electric power.

# Total Energy Usage




International Energy Agency

1 Mtoe = energy from burning 1 Million metric tonnes of oil

1 toe =  $42 \times 10^9$  Joules

# Energy Consumption per capita

Primary energy consumption per capita  
Tonnes oil equivalent



International Energy Agency



# Side Effects

- General Pollution of Air, Water, Land
  - Makes resources less usable
  - Air pollution, respiratory problems
  - Undrinkable water
  - Desertification of farm-lands
- Ozone Layer Destruction
  - ⇒ UV reaches surface
  - Skin Cancer, Cataracts, ...
  - Crop Damage

Caused by CFC's (refrigeration, styrofoam,...)  
other chemicals


Stratosphere is very sensitive and  
poorly understood

Catalytic reactions: One CFC molecule  
leads to the destruction of **many** ozone  
molecules



# Growth of ozone hole


Oct. 2006



Total Ozone (Dobson Units)

110 220 330 440 550


TOMS Ozone (DU): Oct 1991




100 140 180 220 260 300 340 380 420 460 500

100 140 180 220 260 300 340 380 420 460 500

# Side Effects (cont.)




## GLOBAL MEAN SEA LEVEL




**Figure TS.18.** Annual averages of the global mean sea level based on reconstructed sea level fields since 1870 (red), tide gauge measurements since 1950 (blue) and satellite altimetry since 1992 (black). Units are in mm relative to the average for 1961 to 1990. Error bars are 90% confidence intervals. {Figure 5.13}

# Carbon Dioxide Increase




# Over a Longer Period

## CHANGES IN GREENHOUSE GASES FROM ICE CORE AND MODERN DATA



# The Temperature is Warming

## Annual Land-Surface Average Temperature




[berkeleyearth.org](http://berkeleyearth.org)

From R. Muller, a climate change skeptic until 2012




# Increased CO<sub>2</sub> and Volcanoes Explain the Data



Muller found no effects from changing solar output.


# Production of CO<sub>2</sub>

**Figure 77. World Energy-Related Carbon Dioxide Emissions by Region, 2003-2030**



Sources: **2003 and 2004:** Energy Information Administration (EIA), *International Energy Annual 2004* (May-July 2006), web site [www.eia.doe.gov/iea](http://www.eia.doe.gov/iea). **Projections:** EIA, *System for the Analysis of Global Energy Markets* (2007).

**Figure 13. Coal Consumption in Selected World Regions, 1980-2030**



Sources: **History:** Energy Information Administration (EIA), *International Energy Annual 2005* (June-October 2007), web site [www.eia.doe.gov/iea](http://www.eia.doe.gov/iea). **Projections:** EIA, *World Energy Projections Plus* (2008).

OECD: Europe, US, Canada, Australia, Japan, Mexico  
 Not Russia, India, China

# Climate Change Reports

- Report of Intergovernmental Panel on Climate Change released March 2014
- <https://www.ipcc.ch/report/ar5/wg1/>
- Concerns about melting permafrost releasing methane, more warming, feedback
- Rising sea levels
- Food shortages

# Population Explosion

(The revenge of Malthus?)

Agriculture - Population Growth - Disease

Population Growth leads to more rapid depletion of  
resources

More pollution

More conflict?

Two “events” (transitions)

10,000 yrs ago

Agriculture

250 yrs ago

Disease lessened

(demographic transition)

Time	Total Pop.	Growth Rate (per thousand per year)
Before Agriculture	$\sim 8 \times 10^6$ (??)	0.015
$\sim 8000$ BCE - 1 CE	$\sim 3 \times 10^8$	0.36
1 CE - 1750 CE	$\sim 8 \times 10^8$	0.56
1750-1800	$\sim 1 \times 10^9$	4.4
⋮		
1950 - 1975	$4 \times 10^9$	17.1
2000	$6 \times 10^9$	$\sim 12$
2012	$7 \times 10^9$	

# Population Mathematics

Rate of increase  $\propto$  Number  $\times$  (Birth – Death)  
leads to exponential growth if (Birth – Death) constant

$$\text{Pop (t)} = \text{Pop (Now)} 2^{(t/t_d)}$$

$t_d$  = doubling time  $\simeq$  65 years currently

So doubles in 65 yrs

Quadruples ( $2^2$ ) in 130 yrs, ...

1170 yr (18  $t_d$ ) Pop =  $1.8 \times 10^{15}$

~ fills land area

2990 yr (46  $t_d$ ) Mass  $> M_{(\text{earth})}$  !

14,625 yr (225  $t_d$ ) Mass expands at  $c$  !!

Current population growth is NOT sustainable


# World Vital Events Per Time Unit: 2009

## World Vital Events Per Time Unit: 2009

- (Figures may not add to totals due to rounding)
- -----
- Natural
- Time unit      Births      Deaths      increase
- -----
- Year      135,474,672      55,664,164      79,810,508
- Month      11,289,556      4,638,680      6,650,876
- Day      371,163      152,505      218,659
- Hour      15,465      6,354      9,111
- Minute      258      106      152
- Second      4.3      1.8      2.5


<http://www.census.gov/popclock/>

# Projected World Population Growth






# Changes in Population




# Population Doubling Time



Data taken from: Population Reference Bureau (2000)

**Atlas of the Biosphere**  
Center for Sustainability and the Global Environment  
University of Wisconsin - Madison



Effects of economic development:  
Does negative effect on population growth  
Beat positive effect on resource depletion?

Can we get to sustainable economy before  
We exhaust resources?

## The Example of China

- From 1990 to 2004, 400 million Chinese citizens escaped poverty (~1/3 of population)
- Population grew by about 120 million
- Growth rate about 1% per year
- Rate projected to decrease to 0.2% by 2025
- Population will be about 1.5 billion

# Nuclear War

Total arsenal world-wide






Peaked at ~ 10,000 megatons

One ton is energy equivalent to “ton of TNT”

Global effects of all-out war

- Depletion of ozone
- Radioactive fallout
- Dust and smoke in atmosphere would block sunlight and lead to cooling of the Earth  
“Nuclear Winter”

# The World's Nuclear Arsenals

Country	Suspected Strategic Nuclear Weapons	Suspected Non-Strategic Nuclear Weapons	Suspected Total Nuclear Weapons
 China	250	120	400
 France	350	0	350
 India	60	?	60+
 Israel	100-200	?	200+
 Pakistan	24-48	?	24-48

# The World's Nuclear Arsenals (~2013)

Country	Suspected Strategic Nuclear Weapons	Suspected Non-Strategic Nuclear Weapons	Suspected Total Nuclear Weapons
 Russia	~ 1499	~ 3022	~ 4500
 United Kingdom	160	65	225
 United States	1722	3391	5113

# Nuclear Warheads being Deactivated

- US-Russia Agreement to deactivate warheads (START Agreement 1994)
  - Agreed to reduce to 6000 warheads each
  - Expired Dec 2009
- Moscow Agreement (2002)
  - Decrease to 1700 – 2200 by 2012
- New Start
  - signed April 2010, into effect Feb. 2011
  - Reduces deployed nuclear weapons to 1550 per side



# Natural Catastrophes

## Collisions

Stars? Negligible Chance

Molecular Clouds?  $t \sim 10^8$  yr

Likely, but the effects are unclear

Less dense clouds? More common but effects are probably less

Asteroids and other debris

(comets, meteoroids, ...)

# Meteor over Siberia February 15, 2013



Shallow angle entry, air burst, shock wave  
1700 people injured, mostly by broken windows

# Effect of Meteorite/Asteroid Impact

- $E_{\text{kin}} = \frac{1}{2} M v^2$
- Two examples: 2013 Meteorite and larger one

	2013 Siberian	Larger one
Size	~20 m	¼ km
Speed	19 km/s	30 km/s
$E_{\text{kin}}$ (TNT equiv)	500 kilotons	7200 Megatons

- Hiroshima bomb was 13-18 kilotons
- 7200 Megatons would be like all-out nuclear war at height of cold war


## How Often?

- Depends on size (many small, few large)
  - 2013 Siberian t  $\sim 100$  yr
  - 1908 Siberian t  $\sim 1000$  yr
  - (1 km or larger) t  $\sim 10^5$  yr -  $10^6$  yr
  - Major Extinctions t  $\sim 30 \times 10^6$  yr
  - Mass Extinctions t  $\sim 100 \times 10^6$  yr ?
- These are statistical: no guarantees...

# Spacewatch Detections

## Asteroid Detections by Spacewatch 0.9-m

2005 Feb 22 J. Montani/LPL




# Most Dangerous Known Asteroid

1950 DA

Radar used to map orbit

~ 1 km in diameter

Close approach in  
Yr 2880



Probability of collision ~ 0.33%

$V \sim 14 \text{ km s}^{-1}$        $E \sim 10^5 \text{ Megatons}$

Exact orbit depends on small effects - tugs from Earth, Mars, light absorption + radiation, ...

## Another “Interesting” Asteroid

- Apophis (2004 MN4)
- $d = 0.25$  km, would release 400 Megatons
- 1/45000 chance of collision in 2036
- <http://neo.jpl.nasa.gov/risk/>
- Has data base of Near Earth Objects
- Search for smaller ones?
  - B612 Foundation (Ed Lu)
  - Privately funded space telescope

# Solar variations

$\sim 10^5$  yr

1. Short term - cyclic variations in L, orbit of Earth -----> ice ages, climate change

$\sim 1-2 \times 10^9$  yr

2. Sun increases in L  
on main sequence -----> loss of oceans  
 $UV + H_2O = 2H + O$       H lost to space

$\sim 5 \times 10^9$  yr

3. Off main sequence leads to Red Giant  
atmosphere evaporates



Could advanced civilization delay loss of oceans?

(Decrease greenhouse, add dust)

Move to Mars? Mars will be in HZ by end of Sun's main sequence lifetime.

Red giants lose mass in winds: Earth's orbit moves out to 1.15 AU by  $7.6 \times 10^9$  yr; but HZ is now 50-80 AU!

Sun's atmosphere engulfs Earth and it spirals in.

## Other stars?

Nearby star leads to Supernova

If within 30 ly, ozone is destroyed

$\sim 2 \times 10^9$  yr

Extreme supernova, gamma ray burst

If within  $\sim 6000$  ly, would affect ozone,

Atmospheric chemistry

# Ultimate Limits

If Universe Closed, recollapses

$\sim 10^{12}$

Big Crunch  
(unlikely)



Very unlikely because evidence now indicates that expansion is accelerating (dark energy)

But, since we don't understand dark energy, it could reverse.

## If open, expands forever

About  $5 \times 10^9$  years, Andromeda collides with MW

$10^{11}$  local galaxies collapse into a supergalaxy, if acceleration continues, all other galaxies have disappeared

$10^{12} - 10^{14}$  all stars die

$10^{17}$  planetary systems disrupted

$10^{18} - 10^{20}$  galaxies “evaporate”

$10^{33} - 10^{34}$  protons decay?

$10^{100}$  Black holes evaporate

## What to choose for L?

- For number of civilizations now,  
 $L \leq 5 \times 10^9$  yrs -  
[ age of galaxy – time to evolve]

Important to choose L consistent with what you think is the most likely way civilizations end.

# Darkness

I had a dream, which was not all a dream.  
The bright sun was extinguish' d, and the stars  
Did wander darkling in the eternal space,  
Rayless, and pathless, and the icy earth  
Swung blind and blackening in the moonless air;

- Lord Byron, 1816