
Life

What is necessary for life?

Most life familiar to us: Eukaryotes

FREE LIVING
Or Parasites




First appeared $\sim 1.5 - 2 \times 10^9$ years ago Requirements: DNA, proteins, lipids, carbohydrates, complex structure, $\sim 10^4 - 10^5$ genes

Prokaryotes (Bacteria and Archaea)


First appeared


 $\sim 3 - 4 \times 10^9$ years ago

FREE LIVING
Or Parasites




Requirements: DNA, protein, lipids, carbohydrates, simpler structure, few thousand genes





The tobacco-mosaic virus is made up of a strand of nucleic acid encased in a rod of one kind of protein.

TOBACCO MOSAIC VIRUS



Life
Composition
Properties and Definitions
Fossil record & Classification

Minimum Requirements for Life
Proteins and Nucleic Acids
(Lipids and Carbohydrates)

<u>Macromolecules</u>

Proteins made of amino acids (20)

Construction and catalysis (enzymes)

H, C, N, O (P) Nucleic acids made of nucleotides base sugar phosphate

Polymers and Monomers

Carbohydrates made of sugars

Energy (food) + structure

[starch] [cellulose]

H, C, (O) Lipids (hydrocarbons + carboxyl)


Membranes + Energy

[water-resistant]


Sugar

Glucose

Lipids



Fatty acid is composed of a hydrocarbon chain with a carboxyl group at one end




Polysaccharides

Proteins

Monomers are amino acids

20 kinds






Amino group

carboxyl group


Schematic






Section of Protein

A Peptide Bond at the Chemical Level



Note that a water molecule must be removed




amino acids

protein

A complex protein:


Involved in oxygen use Each circle is an amino acid



Stripped down view Can you find the amino end and the carboxyl end?

Note the "heme", containing iron.


Function depends on structure, which depends on folding, which depends on order of amino acid bases




Nucleic Acids

(DNA, RNA)

Made of sugars, phosphates, bases




Schematic




Ribose Sugar 5 C, 5 O, 10 H

> Ribonucleic acid (RNA) uses ribose sugar; Deoxyribonucleic acid (DNA) uses deoxyribose sugar

phosphate



sugars & phosphates linked phosphodiester bonds





Segment of side of ladder structure

Nucleic Acids (cont.)

Bases: Carry Genetic Code


Purines






Equal numbers of C and N


Pyrimidines




More C than N



Bases in Nucleic acids: Purines and Pyrimidines






Purines

Pyrimidines


Note Uracil

Nucleic Acids (cont.)

Segment of RNA




Segment of DNA




Note that T replaces U in DNA

At the Chemical Level




Hydrogen Bonds (weak) connect the bases across the two sides of DNA

Major groove




Minor groove


Major groove




Segment of DNA



The two strands of DNA form a double helix, connected between bases by hydrogen bonds



Further wrapping to make compact chromosome



Information Storage

- Nucleic acids store information
- The information specifies proteins
- The information can be replicated
- This allows inheritance

Base pairing rules

```
A - T G - C - U
```

⇒ Replication of order (reproduction)

Nucleic Acid - Protein
Genetic Code

Codon

3 base sequence ——— Amino Acid

<u>Gene</u>

Sequence of codons — Protein

1 gene — 1 protein


e.g. tobacco mosaic virus 4 genes

bacteria ~ 10³ genes


human cell ~ 25,000 genes (update)


For mRNA		Genetic Code				
First RNA		_	_	_	Third RNA	
Base	U	C	Α	G	BASE	
	Phenylalanine	Serine	Tyrosine	Cysteine	U	
	Phenylalanine	Serine	Tyrosine	Cysteine	С	
U	Leucine	Serine	Stop	Stop	Α	
	Leucine	Serine	Stop	Tryptophan	G	
	Leucine	Proline	Histidine	Arginine	U	
	Leucine	Proline	Histidine	Arginine	С	
C	Leucine	Proline	Glutamine	Arginine	Α	
	Leucine	Proline	Glutamine	Arginine	G	
	Isoleucine	Threonine	Asparagine	Serine	U	
	Isoleucine	Threonine	Asparagine	Serine	С	
Α	Isoleucine	Threonine	Lysine	Arginine	Α	
	Start/Methionine	Threonine	Lysine	Arginine	G	
	Valine	Alanine	Aspartic Acid	Glycine	U	
	Valine	Alanine	Aspartic Acid	Glycine	С	
G	Valine	Alanine	Glutamic Acid	Glycine	Α	
	Valine	Alanine	Glutamic Acid	Glycine	G	

PROTEIN SYNTHESIS





Structure of a tRNA





Translation





Variations in the Code

1. "Wobble" Bases

The third base in a codon can sometimes vary.

tRNA mRNA

J A or G

G C or U

Comparison to genetic code ⇒ no change in amino acids

For mRNA		Genetic Code				
First RNA		_	_	_	Third RNA	
Base	U	C	Α	G	BASE	
	Phenylalanine	Serine	Tyrosine	Cysteine	U	
	Phenylalanine	Serine	Tyrosine	Cysteine	С	
U	Leucine	Serine	Stop	Stop	Α	
	Leucine	Serine	Stop	Tryptophan	G	
	Leucine	Proline	Histidine	Arginine	U	
	Leucine	Proline	Histidine	Arginine	С	
C	Leucine	Proline	Glutamine	Arginine	Α	
	Leucine	Proline	Glutamine	Arginine	G	
	Isoleucine	Threonine	Asparagine	Serine	U	
	Isoleucine	Threonine	Asparagine	Serine	С	
Α	Isoleucine	Threonine	Lysine	Arginine	Α	
	Start/Methionine	Threonine	Lysine	Arginine	G	
	Valine	Alanine	Aspartic Acid	Glycine	U	
	Valine	Alanine	Aspartic Acid	Glycine	С	
G	Valine	Alanine	Glutamic Acid	Glycine	Α	
	Valine	Alanine	Glutamic Acid	Glycine	G	

2. Some organisms use slightly different codes, with one or more changes in codon translation.

First seen in mitochondrial DNA.

Now known in some nuclear DNA

The code has evolved since the last common ancestor (But not much).

Summary

- 1. Atoms needed: H, C, O, N, small amounts of P (phosphorus), S (sulfur)
- 2. Two basic molecules needed for life: proteins, nucleic acids
- 3. Both are polymers made of simpler monomers. The monomers function as words or letters of alphabet. Information is the key.

Summary (cont.)

- 4. Proteins and nucleic acids closely linked at <u>fundamental</u> level. <u>Communicate</u> through genetic code. All organisms have almost the same genetic code. It must have originated very early in evolution of life.
- In present day organisms, protein synthesis must be directed by nucleic acids, but nucleic acid reading or replication requires enzymes (proteins). Chicken-Egg problem