

Average Lifetime of Technological Civilization



Average Lifetime of Technological Civilization

L = ?

- End of Communication Efforts
(Civilization Survives)
(Decades?)
- Civilization **Evolves** away from interest or capability (Post-technological Civilization)
(Centuries - Millenia)

- **Civilization Collapses**
(Reversion to Pre-technological Culture)
Exhaustion of resources
Population explosion
(~ 100 yrs - 1000 yrs)
- **Sudden, Catastrophic End of Civilization or Extinction of our Species**
Nuclear War leads to Nuclear Winter
(10's - 100's of years)
Natural Catastrophes ($> 10^5$ yr for most)

Resource Depletion

Metals, Drinkable Water, Arable Land, ...

Energy is most fundamental

Energy is conserved

“Depletion” = conversion to less usable forms
(entropy increases)

Resource Depletion

Fossil Fuels (Stored Solar Energy)
will eventually run out

~ 500 years for coal 200?

Nuclear Power? Stopgap...

Ultimately Solar Power

Little Attempt to Plan Ahead

World Energy Usage

World 380 “Quads”

Per year Quad = 10^{15} BTU $\simeq 3 \times 10^{11}$ kw - H
 $\simeq 10^{18}$ Joules (one exajoule)



13×10^6 MW Avg. power

U.S. uses 26% of this

Energy per capita ~ 6 metric tonnes of oil equivalent

$\sim 2 \times$ Europe

$\sim 5 \times$ World avg.

History of Energy Use in USA

Consumption by Source

Figure 5. Energy Consumption by Source, 1635-2003






Figure 6. Energy Consumption History and Outlook, 1949-2025



In the long view of American history, wood served as the preeminent form of energy for about half of the Nation's history. Around 1885, coal surpassed wood's usage. Despite its tremendous and rapid expansion, coal was, in turn, overtaken by petroleum in the middle of the 20th century. Natural gas, too, experienced rapid development into the second half of the 20th century, and coal began to expand again. Late in the 20th century still another form of energy, nuclear electric power, was developed and made significant contributions.

While the Nation's energy history is one of large-scale change as new forms of energy were developed, the outlook for the next couple of decades (assuming current laws, regulations, and policies) is for continued growth and reliance on the three major fossil fuels—petroleum, natural gas, and coal—modest expansion in renewable resources, and relatively flat generation from nuclear electric power.


Regional Primary Energy Consumption Pattern



Fossil Fuel R/P ratios

Fossil fuel reserves-to-production (R/P) ratios at end 2003


Years



The world's reserves-to-production ratio for coal is around five times that for oil and more than three times that for natural gas. Coal's dominance in reserves-to-production ratio terms is particularly pronounced in the OECD and the Former Soviet Union.

Energy Consumption per capita

Primary energy consumption per capita
Tonnes oil equivalent



Side Effects

- General Pollution of Air, Water, Land
 - Makes resources less usable
 - Air pollution, respiratory problems
 - Undrinkable water
 - Desertification of farm-lands
- Ozone Layer Destruction
 - ⇒ UV reaches surface
 - Skin Cancer, Cataracts, ...
 - Crop Damage


Caused by CFC's (refrigeration, styrofoam,...)
other chemicals


Stratosphere is very sensitive and
poorly understood

Catalytic reactions: One CFC molecule
leads to the destruction of **many** ozone
molecules




Ozone over South Pole






Growth of ozone hole

TOMS Ozone (DU): Oct 1980



TOMS Ozone (DU): Oct 1991



Side Effects (cont.)

- Fossil fuels → CO₂ → Greenhouse
(any chemical fuel)

↓
Global warming

← and warmer water

Rise in
Sea level

← Melting ice
(50 - 100 yrs)

Climate changes: (40 - 100 yrs)


Increased desertification

Crop yields?


Runaway greenhouse?

(Earth become like Venus?)


Not likely to go this far



Carbon Dioxide Increase



CO₂ Production



1997 per capita CO2 emissions
for all countries (31) contributing over 0.5%
to total global fossil CO2 production





Figure by M. Homing based on Data from Gregg Marland and Tom Boden (Oak Ridge National Laboratory) and Bob Andres (University of North Dakota), available from the Carbon Dioxide Information Analysis Center (<http://cdiac.esd.ornl.gov/>)

Carbon production (12/44 of CO₂)

FIGURE 5: GLOBAL CO₂ EMISSIONS, 1950-1997


(billions of metric tons of carbon)



Source: Meyerson, F. A. B. 2001. "Population and Climate Change Policy."
In: Climate Change Policy: A Survey, edited by S. Schneider, A. Rosencranz,
and J. Niles. (Forthcoming.) Washington, D.C.: Island Press.

FIGURE 6: PROJECTED CO₂ EMISSIONS UNDER DIFFERENT POPULATION AND TECHNOLOGY ASSUMPTIONS, 1990-2100

(billions of metric tons of carbon)



This figure expresses CO₂ emissions as elemental carbon.

1 ton elemental carbon = 33.664 tons CO₂ 3.66 tons CO₂

Source: Harrison, Paul, and Fred Pearce, 2001. AAAS Atlas of Population and Environment (Victoria Dompka Markham, editor). American Association for the Advancement of Science and the University of California Press.

Update on CO₂ leading to Global Warming

- **New models include Sulfate**
emission leads to haze which leads to
increase in albedo
- **Cooling tends to balance warming from
Greenhouse CO₂**
Less temperature rise in short term

Ice core analysis shows strong correlation of temperature and astronomical cycles - rotation axis, orbital variations, solar cycle

Also - we are still in last stages of “little ice age”
In climate behavior, but not temperature

Greenland ice cores *Nature*, 15 July 1993

Study temperature, climate... over 150,000 yr

Last interglacial (Eemian)

115,000 - 130,000 yr ago

warmer


3 temp. states: like present

colder

Very rapid switches (up to 10° C)

Our current stable climate may not be typical
of interglacials

The abrupt termination of the Younger Dryas



A = Collapse of Pre-Pottery Neolithic Period B.

B = Late Ubaid collapse of village settlements in Mesopotamia.

C = Late Uruk period collapse of early city states and colonies in Mesopotamia.

D = "2200 BC" collapse across Europe, Egypt, West Asia and East Asia.


E = Collapse across Europe, Egypt, West Asia and Indus Valley.

F = Assyrian imperial expansion across Mesopotamia.

G = Collapse of Byzantine Empire and Arab expansion.

High GISP2 EOF1
(= wet west Asia)

Low GISP2 EOF1
(= dry west Asia)



Population Explosion

(The revenge of Malthus?)

Agriculture - Population Growth - Disease

Population Growth leads to more rapid depletion of resources

More pollution

More conflict?

Two “events” (transitions)

10,000 yrs ago

Agriculture

250 yrs ago

Disease lessened

(demographic transition)

Time	Total Pop.	Growth Rate (per thousand per year)
Before Agriculture	$\sim 8 \times 10^6$ (??)	0.015
~ 8000 B.C. - 1 A.D.	$\sim 3 \times 10^8$	0.36
1 AD - 1750 A.D.	$\sim 8 \times 10^8$	0.56
1750-1800	$\sim 1 \times 10^9$	4.4
1950 - 1975	4×10^9	17.1
2000	6×10^9	~ 18

Population Doubling in 55 years

Population Mathematics

Rate of increase \propto Number \times (Birth - Death)

leads to exponential growth if (Birth - Death) constant

$$\text{Pop}(t) = \text{Pop}(\text{Now}) 2^{(t/t_d)}$$

t_d = doubling time \simeq 55 years

So doubles in 55 yrs

Quadruples (2^2) in 110 yrs, ...

990 yr (18 t_d) Pop = 1.3×10^{15}

~ fills land area

2530 yr (46 t_d) Mass $> M_{(\text{earth})}$!

12,375 yr (225 t_d) Mass expands at c !!

Current population growth is NOT sustainable


World Vital Events Per Time Unit: 2005

(Figures may not add to totals due to rounding)

Time unit	Births	Natural Deaths	increase
Year	129,908,352	56,622,744	73,285,608
Month	10,825,696	4,718,562	6,107,134
Day	355,913	155,131	200,782
Hour	14,830	6,464	8,366
Minute	247	108	139
Second	4.1	1.8	2.3


<http://www.census.gov/main/www/popclock.html>

Projected World Population Growth




Changes in Population

Annual World Population Change: 1950-2050




Source: U.S. Census Bureau, International Data Base, August 2006 version.

FIGURE 3: PERCENTAGE OF POPULATION UNDERNOURISHED, BY SUBREGION, 1996-1998



Source: United Nations Population Division

*Caribbean average is skewed by high malnourishment in Haiti.



Does negative effect on population growth
Beat positive effect on resource depletion?

Can we get to sustainable economy before
We exhaust resources?






Nuclear War

Total arsenal world-wide ~ 10,000 megatons

Global effects of all-out war

- Depletion of ozone
- Radioactive fallout
- Dust and smoke in atmosphere would block sunlight and lead to cooling of the Earth
“Nuclear Winter”

The World's Nuclear Arsenals

Country	Suspected Strategic Nuclear Weapons	Suspected Non-Strategic Nuclear Weapons	Suspected Total Nuclear Weapons
 China	250	120	400
 France	350	0	350
 India	60	?	60+
 Israel	100-200	?	200+
 Pakistan	24-48	?	24-48

The World's Nuclear Arsenals

Country	Suspected Strategic Nuclear Weapons	Suspected Non-Strategic Nuclear Weapons	Suspected Total Nuclear Weapons
 Russia	~ 6,000	~ 4,000	~ 10,000
 United Kingdom	180	5	185
 United States	8,646	2,010	10,656

Natural Catastrophes

Collisions

Stars?

Negligible

Molecular Clouds? $t \sim 10^8$ yr

Likely, but the effects are unclear

Asteroids and other debris

(comets, meteoroids, ...)

Effect of Asteroid Impact:

e.g. 1/4 km radius

$$V = 30 \text{ km s}^{-1} \quad (65,000 \text{ miles/hour})$$

$$E_k = 1/2 Mv^2 \simeq 7200 \text{ megatons of TNT}$$

\simeq all-out nuclear war

Crater \sim 10 km across, few km deep

10^{12} tons of debris released into atmosphere

If covers globe, leads to temperature drop and
“asteroid winter”

How Often do Large Asteroids Strike the Earth?

1937 Hermes ~ 500,000 miles

1989FC Similar

1991BA 170,000 km (5 - 10 m diameter)

How often might we expect global catastrophe?

“Substantial” Impacts

(1 km or larger) $t \sim 10^5 \text{ yr} - 10^6 \text{ yr}$

Major Extinctions $t \sim 30 \times 10^6 \text{ yr}$

Mass Extinctions $t \sim 100 \times 10^6 \text{ yr} ?$

More massive asteroids more destructive,
but also more rare, so collisions are less likely

Preventable by advanced civilization?

1991 BA ~ 40 kilotons TNT (3 × Hiroshima)


50 meter objects - once per century

April 1992 - proposal for project to search and
identify - space watch underway

Spacewatch Detections

Asteroid Detections by Spacewatch 0.9-m

2005 Feb 22 J. Montani/LPL




Most Dangerous Known Asteroid

1950 DA

Radar used to map orbit

~ 1 km in diameter

Close approach in
Yr 2880



Probability of collision ~ 0.33%

$V \sim 14 \text{ km s}^{-1}$ $E \sim 10^5 \text{ Megatons}$

Exact orbit depends on small effects - tugs from Earth, Mars, light absorption + radiation, ...

Stellar Evolution

4 to 5 billion yrs - Sun will become a Red Giant

Before that, gradual increase in L_{sun}
and possible cyclic variations

Repeated ice ages $\sim 10^5$ yrs - 10^6 yrs

changes in L_{sun} or Earth orbit may be responsible

Gradual increase could lead to evaporation of
oceans

$\text{UV} + \text{H}_2\text{O} \rightarrow 2\text{H} + \text{O}$ $\text{H} \rightarrow \text{space}$

Loss of water in $\sim 1 - 2 \times 10^9$ yr

Could advanced civilization delay this?
(Decrease greenhouse, add dust)

Move to Mars?

Nearby star produces a supernovae within 30 ly,
could destroy ozone

Expect $\sim 2 \times 10^9$ yr

Solar variations

$\sim 10^5$ yr

1. Short term - cyclic variations in L, orbit of Earth -----> ice ages, climate change

$\sim 1-2 \times 10^9$ yr

2. Sun increases in L on main sequence -----> loss of oceans

$\sim 5 \times 10^9$ yr

3. Off main sequence leads to Red Giant -----> atmosphere evaporates

Other stars

$\sim 2 \times 10^9$ yr

Nearby star leads to Supernova

If within 30 ly, ozone is destroyed

Ultimate Limits

If Universe Closed, recollapses

$\sim 10^{12}$

Big Crunch
(unlikely)



If open, expands forever

$10^{12} - 10^{14}$ all stars die

10^{17} planetary systems disrupted

$10^{18} - 10^{20}$ galaxies “evaporate”

$10^{32} - 10^{34}$ protons decay?

10^{100} Black holes evaporate

- For number of civilizations now,
 $L \leq 5 \times 10^9$ yrs -
[age of galaxy – time to evolve]

Darkness

I had a dream, which was not all a dream.
The bright sun was extinguish'd, and the stars
Did wander darkling in the eternal space,
Rayless, and pathless, and the icy earth
Swung blind and blackening in the moonless air;

- Lord Byron, 1816

