

# Average Lifetime of Technological Civilization



# Average Lifetime of Technological Civilization

$L = ?$

- End of Communication Efforts  
(Civilization Survives)  
(Decades?)
- Civilization **Evolves** away from interest or capability  
(Post-technological Civilization)  
(Centuries - Millenia)

- Civilization **Collapses**  
\_\_\_\_\_ (Reversion to Pre-technological Culture)

Exhaustion of resources

Population explosion

( ~ 100 yrs - 1000 yrs)

- Sudden, Catastrophic End of Civilization or  
Extinction of our Species

Nuclear War leads to Nuclear Winter

(10's - 100's of years)

Natural Catastrophes ( $> 10^5$  yr for most)

# Resource Depletion

Metals, Drinkable Water, Arable Land, ...

Energy is most fundamental

Energy is conserved

“Depletion” = conversion to less usable forms  
(entropy increases)

# Resource Depletion

Fossil Fuels (Stored Solar Energy)  
will eventually run out

~ 500 years for coal 200?

Nuclear Power?

Stopgap...

Ultimately Solar Power

Little Attempt to Plan Ahead

# World Energy Usage

World 380 “Quads” Per year

1 Quad =  $10^{15}$  BTU  $\simeq 3 \times 10^{11}$  kw - H  $\simeq 10^{18}$  Joules (one exajoule)

Average power is  $13 \times 10^6$  MW

U.S. uses 26% of this

Energy per capita  $\sim 6$  metric tonnes of oil equivalent

$\sim 2 \times$  Europe

$\sim 5 \times$  World avg.

# History of Energy Use in USA

## Consumption by Source

Figure 5. Energy Consumption by Source, 1635-2003





Figure 6. Energy Consumption History and Outlook, 1949-2025




In the long view of American history, wood served as the preeminent form of energy for about half of the Nation's history. Around 1885, coal surpassed wood's usage. Despite its tremendous and rapid expansion, coal was, in turn, overtaken by petroleum in the middle of the 20th century. Natural gas, too, experienced rapid development into the second half of the 20th century, and coal began to expand again. Late in the 20th century still another form of energy, nuclear electric power, was developed and made significant contributions.

While the Nation's energy history is one of large-scale change as new forms of energy were developed, the outlook for the next couple of decades (assuming current laws, regulations, and policies) is for continued growth and reliance on the three major fossil fuels—petroleum, natural gas, and coal—modest expansion in renewable resources, and relatively flat generation from nuclear electric power.

# Regional Primary Energy Consumption Pattern

Regional primary energy consumption pattern 2003

Percentage




Oil remains the largest single source of energy in most parts of the world. The exceptions are the Former Soviet Union, where gas dominates and Asia Pacific where coal is the dominant fuel.



# Fossil Fuel R/P ratios

Fossil fuel reserves-to-production (R/P) ratios at end 2003

Years



The world's reserves-to-production ratio for coal is around five times that for oil and more than three times that for natural gas. Coal's dominance in reserves-to-production ratio terms is particularly pronounced in the OECD and the Former Soviet Union.

# Energy Consumption per capita

Primary energy consumption per capita  
Tonnes oil equivalent




## Side Effects

- General Pollution of Air, Water, Land
  - Makes resources less usable
  - Air pollution, respiratory problems
  - Undrinkable water
  - Desertification of farm-lands
- Ozone Layer Destruction
  - ⇒ UV reaches surface
  - Skin Cancer, Cataracts, ...
  - Crop Damage


Caused by CFC's (refrigeration, styrofoam,...)  
other chemicals


Stratosphere is very sensitive and  
poorly understood

Catalytic reactions: One CFC molecule  
leads to the destruction of **many** ozone  
molecules




## Ozone over South Pole






## Growth of ozone hole

TOMS Ozone (DU): Oct 1980



TOMS Ozone (DU): Oct 1991



## Side Effects (cont.)

- Fossil fuels → CO<sub>2</sub> → Greenhouse  
(any chemical fuel)

↓  
Global warming

and warmer water

Rise in Melting ice  
Sea level (50 - 100 yrs)

Climate changes: (40 - 100 yrs)


Increased desertification

Crop yields?

Runaway greenhouse?


(Earth become like Venus?)

Not likely to go this far






# Carbon Dioxide Increase




# CO<sub>2</sub> Production



# Update on production balance

**Figure 77. World Energy-Related Carbon Dioxide Emissions by Region, 2003-2030**




Sources: **2003 and 2004:** Energy Information Administration (EIA), *International Energy Annual 2004* (May-July 2006), web site [www.eia.doe.gov/iea](http://www.eia.doe.gov/iea). **Projections:** EIA, *System for the Analysis of Global Energy Markets* (2007).

OECD: Europe, US, Canada, Australia, Japan, Mexico Not  
Russia, India, China

**FIGURE 5: GLOBAL CO<sub>2</sub> EMISSIONS, 1950-1997**

(billions of metric tons of carbon)




Source: Meyerson, F. A. B. 2001. "Population and Climate Change Policy."  
In: Climate Change Policy: A Survey, edited by S. Schneider, A. Rosencranz,  
and J. Niles. (Forthcoming.) Washington, D.C.: Island Press.

In Billion Metric tonnes of CARBON (12/44 of CO<sub>2</sub>)

# CO<sub>2</sub> Production Continues to Increase

**Figure 78. World Energy-Related Carbon Dioxide Emissions by Fuel Type, 1990-2030**




Sources: **History:** Energy Information Administration (EIA), *International Energy Annual 2004* (May-July 2006), web site [www.eia.doe.gov/iea](http://www.eia.doe.gov/iea). **Projections:** EIA, System for the Analysis of Global Energy Markets (2007).

Note: this is for CO<sub>2</sub> rather than C.  
So 44/12 times next plot

From Energy Information Administration 2008

**FIGURE 6: PROJECTED CO<sub>2</sub> EMISSIONS UNDER DIFFERENT POPULATION AND TECHNOLOGY ASSUMPTIONS, 1990-2100**

(billions of metric tons of carbon)



This figure expresses CO<sub>2</sub> emissions as elemental carbon.

1 ton elemental carbon = 33.664 tons CO<sub>2</sub>      3.66 tons CO<sub>2</sub>

Source: Harrison, Paul, and Fred Pearce, 2001. AAAS Atlas of Population and Environment (Victoria Dompka Markham, editor). American Association for the Advancement of Science and the University of California Press.

## Other factors

- New models include Sulfate  
emission leads to haze which leads to increase in albedo
- Cooling tends to balance warming from  
Greenhouse CO<sub>2</sub>  
Less temperature rise in short term

Ice core analysis shows strong correlation of temperature and astronomical cycles - rotation axis, orbital variations, solar cycle

Also - we are still in last stages of “little ice age”  
In climate behavior, but not temperature



## Greenland ice cores *Nature*, 15 July 1993

Study temperature, climate... over 150,000 yr

Last interglacial (Eemian)

115,000 - 130,000 yr ago

warmer


3 temp. states: like present

colder

Very rapid switches (up to 10° C)

Our current stable climate may not be typical  
of interglacials

## The abrupt termination of the Younger Dryas



# Population Explosion

(The revenge of Malthus?)

Agriculture - Population Growth - Disease

Population Growth leads to more rapid depletion of resources

More pollution

More conflict?

Two “events” (transitions)

10,000 yrs ago                      Agriculture

250 yrs ago                                      Disease lessened  
(demographic transition)

Time	Total Pop.	Growth Rate (per thousand per year)
Before Agriculture	$\sim 8 \times 10^6$ (??)	0.015
$\sim 8000$ BCE - 1 CE	$\sim 3 \times 10^8$	0.36
1 CE - 1750 CE	$\sim 8 \times 10^8$	0.56
1750-1800	$\sim 1 \times 10^9$	4.4
$\vdots$		
1950 - 1975	$4 \times 10^9$	17.1
2000	$6 \times 10^9$	$\sim 18$

Population Doubling in 55 years

# Population Mathematics

Rate of increase  $\propto$  Number  $\times$  (Birth - Death)

leads to exponential growth if (Birth - Death) constant

$$\text{Pop}(t) = \text{Pop}(\text{Now}) 2^{(t/t_d)}$$

$t_d$  = doubling time  $\simeq$  55 years

So doubles in 55 yrs

Quadruples ( $2^2$ ) in 110 yrs, ...

990 yr (18  $t_d$ )                      Pop =  $1.3 \times 10^{15}$

~ fills land area

2530 yr (46  $t_d$ )      Mass  $> M_{(\text{earth})}$  !

12,375 yr (225  $t_d$ )      Mass expands at  $c$  !!

Current population growth is NOT sustainable


## World Vital Events Per Time Unit: 2008

(Figures may not add to totals due to rounding)

•	-----			
•			Natural	
•	Time unit	Births	Deaths	increase
•	-----			
•	Year	133,398,951	55,503,922	77,895,029
•	Month	11,116,579	4,625,327	6,491,252
•	Day	364,478	151,650	212,828
•	Hour	15,187	6,319	8,868
•	Minute	253	105	148
•	Second	4.2	1.8	2.5
•	-----			


<http://www.census.gov/main/www/popclock.html>

# Projected World Population Growth



# Changes in Population

Annual World Population Change:  
1950-2050



Source: U.S. Census Bureau, International Data Base, August 2006 version.




**FIGURE 3: PERCENTAGE OF POPULATION UNDERNOURISHED, BY SUBREGION, 1996-1998**



Source: United Nations Population Division

\*Caribbean average is skewed by high malnourishment in Haiti.



Does negative effect on population growth  
Beat positive effect on resource depletion?

Can we get to sustainable economy before  
We exhaust resources?






# Nuclear War

Total arsenal world-wide ~ 10,000 megatons




Global effects of all-out war

- Depletion of ozone
- Radioactive fallout
- Dust and smoke in atmosphere would block sunlight and lead to cooling of the Earth  
“Nuclear Winter”

# The World's Nuclear Arsenals

Country	Suspected Strategic Nuclear Weapons	Suspected Non-Strategic Nuclear Weapons	Suspected Total Nuclear Weapons
 China	250	120	400
 France	350	0	350
 India	60	?	60+
 Israel	100-200	?	200+
 Pakistan	24-48	?	24-48

# The World's Nuclear Arsenals

Country		Suspected Strategic Nuclear Weapons	Suspected Non-Strategic Nuclear Weapons	Suspected Total Nuclear Weapons
	Russia	~ 6,000	~ 4,000	~ 10,000
	United Kingdom	180	5	185
	United States	8,646	2,010	10,656

<http://www.cdi.org/issues/nukef&f/database/nukearsenals.cfm>

# Natural Catastrophes

Collisions

Stars?

Negligible

Molecular Clouds?  $t \sim 10^8$  yr

Likely, but the effects are unclear

Less dense clouds? More common but effects are probably less

Asteroids and other debris

(comets, meteoroids, ...)

## Effect of Asteroid Impact:

e.g. 1/4 km radius

$$V = 30 \text{ km s}^{-1} \quad (65,000 \text{ miles/hour})$$

$$E_k = \frac{1}{2} Mv^2 \simeq 7200 \text{ megatons of TNT}$$
$$\simeq \text{all-out nuclear war}$$

Crater  $\sim 10$  km across, few km deep

$10^{12}$  tons of debris released into atmosphere

If covers globe, leads to temperature drop and “asteroid winter”

## How Often do Large Asteroids Strike the Earth?

1937 Hermes ~ 500,000 miles

1989FC Similar

1993BA 170,000 km (5 - 10 m diameter)

How often might we expect global catastrophe?

“Substantial” Impacts

(1 km or larger)  $t \sim 10^5 \text{ yr} - 10^6 \text{ yr}$

Major Extinctions  $t \sim 30 \times 10^6 \text{ yr}$

Mass Extinction  $t \sim 100 \times 10^6 \text{ yr} ?$



More massive asteroids more destructive,  
but also more rare, so collisions are less likely

Preventable by advanced civilization?


1991 BA ~ 40 kilotons TNT (3 × Hiroshima)  
50 meter objects - once per century

April 1992 - proposal for project to search and  
identify - space watch underway

# Spacewatch Detections

## Asteroid Detections by Spacewatch 0.9-m

2005 Feb 22 J. Montani/LPL




# Most Dangerous Known Asteroid

1950 DA

Radar used to map  
orbit  
~ 1 km in diameter

Close approach in  
Yr 2880



Probability of collision ~ 0.33%

$V \sim 14 \text{ km s}^{-1}$        $E \sim 10^5 \text{ Megatons}$

Exact orbit depends on small effects - tugs from Earth, Mars, light absorption + radiation, ...

## Another “Interesting” Asteroid

- Apophis (2004 MN4)
- $d = 0.25$  km, would release 400 Megatons
- 1/45000 chance of collision in 2036
- <http://neo.jpl.nasa.gov/risk/>
- Has data base of Near Earth Objects

# Solar variations

$\sim 10^5$  yr

1. Short term - cyclic variations in L, orbit of Earth -----> ice ages, climate change

$\sim 1-2 \times 10^9$  yr

2. Sun increases in L  
on main sequence -----> loss of oceans  
$$\text{UV} + \text{H}_2\text{O} = 2\text{H} + \text{O} \quad \text{H lost to space}$$

$\sim 5 \times 10^9$  yr

3. Off main sequence leads to Red Giant  
-----> atmosphere evaporates

Could advanced civilization delay loss of oceans?

(Decrease greenhouse, add dust)

Move to Mars? Mars will be in HZ by end of Sun's main sequence lifetime.

Red giants lose mass in winds: Earth's orbit moves out to 1.5 AU by  $7 \times 10^9$  yr; but HZ is now 50-80 AU!

Sun's atmosphere engulfs Earth and it spirals in.

## Other stars?

Nearby star leads to Supernova

$\sim 2 \times 10^9$  yr

If within 30 ly, ozone is destroyed

# Ultimate Limits

If Universe Closed, recollapses

$\sim 10^{12}$

Big Crunch  
(unlikely)



Very unlikely because evidence now indicates that expansion is accelerating (dark energy)

But, since we don't understand dark energy, it could reverse.

# If open, expands forever

About  $5 \times 10^9$  years, Andromeda collides with MW

$10^{11}$  local galaxies collapse into a supergalaxy, if acceleration continues, all other galaxies have disappeared

$10^{12} - 10^{14}$  all stars die

$10^{17}$  planetary systems disrupted

$10^{18} - 10^{20}$  galaxies “evaporate”

$10^{32} - 10^{34}$  protons decay?

$10^{100}$  Black holes evaporate



## What to choose for L?

- For number of civilizations now,

$$L \leq 5 \times 10^9 \text{ yrs} -$$

[ age of galaxy – time to evolve]

Important to choose L consistent with what you think is the most likely way civilizations end.

# Darkness

I had a dream, which was not all a dream.  
The bright sun was extinguish'd, and the stars  
Did wander darkling in the eternal space,  
Rayless, and pathless, and the icy earth  
Swung blind and blackening in the moonless air;

- Lord Byron, 1816

