



Wednesday, January 25, 2012


Astronomy in the news?

Strongest solar storm since 2005 now hitting the Earth's atmosphere, satellites. Rotation, magnetic fields, future themes of the course.





A



B

Same
mass in
all three
cases


One Minute Exam: Where is gravity strongest?




A.



B.



C.



Insufficient information

Discussion point:

How does the different form of the pressure, thermal or quantum, affect the behavior of stars?

What happens if the star puts in excess nuclear energy?

What happens if the star loses excess energy to space?

Quantum Pressure -- just depends on squeezing particles,
electrons for white dwarf, to very high density
-- depends on density only
-- *does not* depend on temperature

Important Implication:

Normal ★ Radiate energy, pressure tries to drop, star contracts
and gets **hotter** (and higher pressure)

White Dwarf Radiate energy, *temperature does not matter*,
pressure, size, remain constant, star gets **cooler**







<i>Opposite behavior</i>	Normal Star - <i>Regulated</i>	put in energy, star expands, cools
	White Dwarf - <i>Unregulated</i>	put in energy, hotter, more nuclear burning -- explosion!

Figure 1.3

A normal star can
and will radiate
away thermal
energy and hence
structural energy.

A brick cannot
radiate its
structural energy,

A white dwarf
cannot radiate
away its quantum
energy.



A normal star supported by thermal pressure regulates its temperature. If excess energy is lost, the star contracts and heats. If excess energy is gained, the star expands and cools. Feedback loop, akin to the furnace, thermostat in your house.

A white dwarf, supported by the quantum pressure, cannot regulate its temperature. If excess energy is lost (the case for the vast majority of white dwarfs), they just get cooler. If Excess energy is gained, they heat up and can explode.

Behavior of white dwarf, Quantum Pressure, worked out by S. Chandrasekhar in the 1930's

Limit to mass the Quantum Pressure of electrons can support

Chandrasekhar mass limit $\sim 1.4 M_{\odot}$

density \sim billion grams/cc \sim 1000 tons/cubic centimeter

Maximum mass of white dwarf.

If more mass is added, the white dwarf must collapse or explode!

One Minute Exam

If nuclear reactions start burning in an ordinary star like the Sun,
what happens to the temperature?



The temperature goes up



The temperature remains constant



The temperature goes down



Insufficient information to answer the question

One Minute Exam

If nuclear reactions start burning in a white dwarf, what happens to the temperature?



The temperature goes up



The temperature remains constant



The temperature goes down



Insufficient information to answer the question

SUPERNOVAE

Catastrophic explosions that end the lives of stars,

**Provide the heavy elements on which planets and
life as we know it depends,**

Energize the interstellar gas to form new stars,

**Produce exotic compact objects, neutron stars and
black holes,**

**Provide yardsticks to measure the history and fate
of the Universe.**

Reading:

Chapter 6 Supernovae

Also § 2.1, 2.2, 2.4 & 2.5 for background

Issues to look for in background:

Why is it necessary for a thermonuclear fuel to get hot to burn? - charge repulsion § 2.1 & 2.2


Core Collapse § 2.4 & 2.5

One type of supernova is powered by the *collapse* of the core of a massive star to produce

a *neutron star*,


or perhaps

a *black hole*




The mechanism of the explosion is still a mystery.

The other type of supernovae (Type Ia) is thought to come from a white dwarf that grows to an explosive condition in a binary system.



Chandra X-ray Observatory image
Of Tycho's supernova of 1572



These explode completely, like a stick of dynamite, and leave no compact object (neutron star or black hole) behind.

Goal:

To understand what we have learned from the study of old supernova explosions in our Milky Way Galaxy.

Chapter 6 Supernovae

Historical Supernovae - *in our Milky Way Galaxy* observed with naked eye over 2000 years especially by Chinese (preserved records), but also Japanese, Koreans, Arabs, Native Americans, finally Europeans.

SN 185	earliest record	No NS
SN 386		NS, jet?
SN 1006	brightest	No NS
SN 1054	Crab Nebula	NS, jets
SN 1181	(Radio Source 3C58)	NS, jets
SN 1572	Tycho	No NS
SN 1604	Kepler	No NS
~1680	Cas A	NS? Jets

SN 1987A	nearby galaxy	NS? jets

Chandra Observatory X-ray image, Spitzer, WISE infrared image
SN 185 = RCW 86

No evidence for neutron star




G11.2-0.3 = SN 386

65 ms pulsar


axis structure

X-ray image



Chandra Observatory X-ray image SN 1006

No evidence for neutron star




SN 1181 = 3C58

66 ms pulsar

axis/torus structure?

X-ray image




Crab Nebula

Remnant of “Chinese” Guest Star of 1054

Optical Image



Chandra Observatory
X-Ray Image



Left-over jet